

Refine Search

Search Results -

Terms	Documents
L1.clm.	2

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, October 25, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L2</u>	L1.clm.	2	<u>L2</u>
<u>L1</u>	(storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same link same expander	13	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same link same expander	34

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text 

Clear

Interrupt

Search History

 DATE: Tuesday, October 25, 2005 [Printable Copy](#) [Create Case](#)

Set
Name **Query**
 side by
 side

Hit
Count **Set**
 Name
 result set

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

<u>L4</u>	(storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same link same expander	34	<u>L4</u>
<u>L3</u>	L1 same (SAS or level)	1668	<u>L3</u>
<u>L2</u>	L1 and SAS	781	<u>L2</u>
<u>L1</u>	(storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same (link or expander)	15453	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L4	0

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L5

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, October 25, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L5</u>	L4	0	<u>L5</u>
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>		
<u>L4</u>	(storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same link same expander	34	<u>L4</u>
<u>L3</u>	L1 same (SAS or level)	1668	<u>L3</u>
<u>L2</u>	L1 and SAS	781	<u>L2</u>
<u>L1</u>	(storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same (link or expander)	15453	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(700/2 370/363 370/452 710/5 710/36 710/62 710/63 710/100 710/300 711/113 711/114 711/130 711/118 711/112 711/148 711/141 714/5 714/7 714/9).ccls.	12832

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L6

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Tuesday, October 25, 2005 [Printable Copy](#) [Create Case](#)

Set
 Name Query
 side by
 side

Hit
 Count
 Set
 Name
 result
 set

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

L6 710/5,36,62,63,100,300;711/113,114,130,118,112,148,141;714/5,7,9;700/2;370/363,452.ccls.

12832 L6

DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L5 L4

0 L5

DB=PGPB,USPT,USOC; PLUR=YES; OP=OR

L4 (storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same link same expander

34 L4

L3 L1 same (SAS or level)

1668 L3

L2 L1 and SAS

781 L2

L1 (storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same (link or expander)

15453 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L4 and L6	5

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L8

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, October 25, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>		
<u>L8</u> 14 and L6	5	<u>L8</u>
<u>L7</u> 12 and L6	44	<u>L7</u>
<u>L6</u> 710/5,36,62,63,100,300;711/113,114,130,118,112,148,141;714/5,7,9;700/2;370/363,452.ccls. <i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	12832	<u>L6</u>
<u>L5</u> L4 <i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>	0	<u>L5</u>
<u>L4</u> (storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same link same expander	34	<u>L4</u>
<u>L3</u> L1 same (SAS or level)	1668	<u>L3</u>
<u>L2</u> L1 and SAS	781	<u>L2</u>
<u>L1</u> (storage or memory or disk or disc) same ((intercontroller or (inter adj1 controller) or controller)) same (link or expander)	15453	<u>L1</u>

END OF SEARCH HISTORY



SUPPORT

 e-mail: printer friendly

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

Modify Search

(((storage or memory or disk or disc)<in>metadata) <and> (link<in>metadata))<an

→ Key

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE - All Rights Reserved

Indexed by
Inspec



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((storage or memory or disk or disc)<In>metadata) <and> (expander<in>metadata..."

Your search matched 26 of 1250969 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail
 printer friendly

x Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

x Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

1-25 | [26-26](#)

- ☐ **1. Improved algorithms in geometric optimization via expanders**
 Katz, M.J.;
 Theory of Computing and Systems, 1995. Proceedings., Third Israel Symposium on the
 4-6 Jan. 1995 Page(s):78 - 87
 Digital Object Identifier 10.1109/ISTCS.1995.377043
[AbstractPlus](#) | Full Text: [PDF](#)(784 KB) IEEE CNF
- ☐ **2. Finite-element analysis of vibrational modes in piezoelectric ceramic disks**
 Kunkel, H.A.; Locke, S.; Pikeroen, B.;
 Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on
 Volume 37, Issue 4, July 1990 Page(s):316 - 328
 Digital Object Identifier 10.1109/58.56492
[AbstractPlus](#) | Full Text: [PDF](#)(1336 KB) IEEE JNL
- ☐ **3. A coding algorithm for the covariance matrix representation of polarimetric radar data**
 De Grandi, G.; Lavalle, C.; Sieber, A.J.;
 Geoscience and Remote Sensing, IEEE Transactions on
 Volume 31, Issue 1, Jan. 1993 Page(s):292 - 295
 Digital Object Identifier 10.1109/36.210469
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE JNL
- ☐ **4. Dual-layer-compatible optical head: integration with a liquid-crystal panel**
 Tanase, H.; Hashimoto, G.; Yamamoto, K.; Tanaka, T.; Nakao, T.; Kurokawa, K.; Ichimura, I.; Osato, K.;
 Optical Memory and Optical Data Storage Topical Meeting, 2002. International Symposium on
 7-11 July 2002 Page(s):392 - 394
 Digital Object Identifier 10.1109/OMODS.2002.1028677
[AbstractPlus](#) | Full Text: [PDF](#)(294 KB) IEEE CNF
- ☐ **5. Synthesis of folded, pipelined architectures for multi-dimensional multirate systems**
 Sundararajan, V.; Parhi, K.K.;
 Acoustics, Speech, and Signal Processing, 1998. ICASSP '98. Proceedings of the 1998 IEEE International Conference
 on
 Volume 5, 12-15 May 1998 Page(s):3089 - 3092 vol.5
 Digital Object Identifier 10.1109/ICASSP.1998.678179
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF
- ☐ **6. Signal and noise response of a spectrum expander**
 Rowe, H.;
 Circuits and Systems, IEEE Transactions on
 Volume 27, Issue 9, Sep 1980 Page(s):804 - 815
[AbstractPlus](#) | Full Text: [PDF](#)(1288 KB) IEEE JNL

- ☐ **7. Amorphous film magnetic bubble domain devices**
Kryder, M.; Ahn, K.; Powers, J.;
Magnetics, IEEE Transactions on
Volume 11, Issue 5, Sep 1975 Page(s):1145 - 1147
[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE JNL.
- ☐ **8. Operation of a 100-bit, 2.6 μ m bubble shift register**
Schroeder, D.; Sweet, J.; Langenhorst, J.;
Magnetics, IEEE Transactions on
Volume 13, Issue 4, Jul 1977 Page(s):1041 - 1045
[AbstractPlus](#) | Full Text: [PDF](#)(928 KB) IEEE JNL.
- ☐ **9. Characterization and test results for a 272K bubble memory package**
Bobeck, A.; Danylchuk, I.;
Magnetics, IEEE Transactions on
Volume 13, Issue 5, Sep 1977 Page(s):1370 - 1372
[AbstractPlus](#) | Full Text: [PDF](#)(600 KB) IEEE JNL.
- ☐ **10. Dynamics of amorphous film bubble devices**
Kryder, M.; Lung-Jo Tao; Wilts, C.;
Magnetics, IEEE Transactions on
Volume 13, Issue 5, Sep 1977 Page(s):1626 - 1631
[AbstractPlus](#) | Full Text: [PDF](#)(984 KB) IEEE JNL.
- ☐ **11. Characteristics of a 1 Mbit/ cm^2 magnetic bubble memory**
Fontana, R.; Bullock, D.; Singh, S.;
Magnetics, IEEE Transactions on
Volume 16, Issue 5, Sep 1980 Page(s):1101 - 1105
[AbstractPlus](#) | Full Text: [PDF](#)(696 KB) IEEE JNL.
- ☐ **12. Design considerations and performance of a detector for contiguous-disk bubble devices**
Sanders, I.; Kabelac, W.;
Magnetics, IEEE Transactions on
Volume 20, Issue 1, Jan 1984 Page(s):118 - 128
[AbstractPlus](#) | Full Text: [PDF](#)(1800 KB) IEEE JNL.
- ☐ **13. Six micrometer period wide-gap permalloy magnetic bubble devices**
Chirovsky, L.; Bobeck, A.; Bonyhard, P.; Ekholm, D.; Hou, T.; Smith, J.;
Magnetics, IEEE Transactions on
Volume 21, Issue 5, Sep 1985 Page(s):1675 - 1680
[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) IEEE JNL.
- ☐ **14. Evolution of bubble circuits processed by a single mask level**
Bobeck, A.; Danylchuk, I.; Rossol, F.; Strauss, W.;
Magnetics, IEEE Transactions on
Volume 9, Issue 3, Sep 1973 Page(s):474 - 480
[AbstractPlus](#) | Full Text: [PDF](#)(768 KB) IEEE JNL.
- ☐ **15. Magnetic bubble memory chip design**
Bonyhard, P.; Geusic, J.; Bobeck, A.; Yu-Ssu Chen; Michaelis, P.; Smith, J.;
Magnetics, IEEE Transactions on
Volume 9, Issue 3, Sep 1973 Page(s):433 - 436
[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE JNL.
- ☐ **16. Synthesis of folded pipelined architectures for multirate DSP algorithms**
Denk, T.C.; Parhi, K.K.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 6, Issue 4, Dec. 1998 Page(s):595 - 607
Digital Object Identifier 10.1109/92.736133

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(368 KB\)](#) IEEE JNL

- ☐ **17. Synthesis of minimum-area folded architectures for rectangular multidimensional multirate DSP systems**
Sundararajan, V.; Parhi, K.K.;
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]
Volume 51, Issue 7, July 2003 Page(s):1954 - 1965
Digital Object Identifier 10.1109/TSP.2003.810289
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(858 KB\)](#) IEEE JNL
- ☐ **18. A TV sign image expander with built-in closed caption decoder**
Leelarasme, E.;
Consumer Electronics, IEEE Transactions on
Volume 51, Issue 2, May 2005 Page(s):682 - 687
Digital Object Identifier 10.1109/TCE.2005.1468019
[AbstractPlus](#) | Full Text: [PDF\(404 KB\)](#) IEEE JNL
- ☐ **19. Real time discrete cosine transform an original architecture**
Arnould, E.; Dugre, J.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '84.
Volume 9, Part 1, Mar 1984 Page(s):557 - 560
[AbstractPlus](#) | Full Text: [PDF\(74 KB\)](#) IEEE CNF
- ☐ **20. Proposed solar Rankine cycle system with phase change steam accumulator and CPC solar collector**
Saitoh, T.S.; Hoshi, A.;
Energy Conversion Engineering Conference, 2002. IECEC '02. 2002 37th Intersociety
29-31 July 2004 Page(s):725 - 730
[AbstractPlus](#) | Full Text: [PDF\(687 KB\)](#) IEEE CNF
- ☐ **21. Nitinol expansion for transverse maxillary deficiency**
Kharbanda, O.P.; Sharma, N.;
Engineering in Medicine and Biology Society, 1995 and 14th Conference of the Biomedical Engineering Society of India.
An International Meeting, Proceedings of the First Regional Conference., IEEE
15-18 Feb. 1995 Page(s):3/77 - 3/78
Digital Object Identifier 10.1109/RCEMBS.1995.532985
[AbstractPlus](#) | Full Text: [PDF\(152 KB\)](#) IEEE CNF
- ☐ **22. Expanders might be practical: fast algorithms for routing around faults on multibutterflies**
Leighton, T.; Maggs, B.;
Foundations of Computer Science, 1989., 30th Annual Symposium on
30 Oct.-1 Nov. 1989 Page(s):384 - 389
Digital Object Identifier 10.1109/SFCS.1989.63507
[AbstractPlus](#) | Full Text: [PDF\(592 KB\)](#) IEEE CNF
- ☐ **23. The design of end magnetic system coils for 'AMBAL-M'**
Persov, M.B.; Livshits, A.A.; Shryner, K.K.; Khrestolyubov, V.S.; Kuznetsov, G.F.;
Magnetics, IEEE Transactions on
Volume 28, Issue 1, Jan 1992 Page(s):255 - 258
Digital Object Identifier 10.1109/20.119859
[AbstractPlus](#) | Full Text: [PDF\(240 KB\)](#) IEEE JNL
- ☐ **24. A virtual interface bus for portable PCs**
Burnis, D.; Cargile, F.M.; Dalton, A.;
AUTOTESTCON '99. IEEE Systems Readiness Technology Conference, 1999. IEEE
30 Aug.-2 Sept. 1999 Page(s):81 - 86
Digital Object Identifier 10.1109/AUTEST.1999.800359
[AbstractPlus](#) | Full Text: [PDF\(440 KB\)](#) IEEE CNF
- ☐ **25. Wavefront distortion measurement of a SR extraction mirror for the beam profile monitor using Shack-Hartmann method**
Takeuchi, N.; Mitsuhashi, T.; Itoh, M.; Yatagai, T.;
Particle Accelerator Conference, 1997. Proceedings of the 1997
Volume 1, 12-16 May 1997 Page(s):859 - 861 vol.1

Digital Object Identifier 10.1109/PAC.1997.749861

AbstractPlus | Full Text: PDF(224 KB) IEEE CNF




1-25 | [26-26](#)

Indexed by
 Inspec[®]

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE -- All Rights Reserved



☒ Plurals

Default operator: ☒ Highlight all hit terms initially

[illegible]

 BRS form
  IS&R form
  Image
  Text
  HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error	Definit	Er
1	BRS	L1	15	(storage or memory or USPA disk or disc) same ((T		2005/10/2 5 10:24				

EAST - [Untitled1:1]

File View Edit Tools Window Help

☐ Drafts
☐ Pending
☒ Active
☐ Failed
☐ Saved
☐ Favorites
☐ Tagged (0)
☐ UDC
☐ Queue
☐ Trash

Search: List Queue
 DBs: USPAT ☒ Plurals
 Default operator: OR ☒ Highlight all hit terms initially

(storage or memory or disk or disc) same
 ((intercontroller or (inter adjl controller) or
 controller)) same link same expander

	U	I	Document ID	Issue Dat	Pages	Title	Current OR	Current X
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6901531 B2	20050531	16	Automatic system control failover	714/5	714/6; 714/9
2	<input type="checkbox"/>	<input type="checkbox"/>	US 6754751 B1	20040622	16	Method and apparatus for handling ordered tr	710/112	710/310; 710/53
3	<input type="checkbox"/>	<input type="checkbox"/>	US 6553439 B1	20030422	15	Remote configuration access for integrated c	710/62	710/11; 710/36;
4	<input type="checkbox"/>	<input type="checkbox"/>	US 5909180 A	19990601	44	Electrical distribution system with information	340/639	340/638
5	<input type="checkbox"/>	<input type="checkbox"/>	US 5327987 A	19940712	14	High efficiency hybrid car with gasoline engin	180/65.2	180/65.4; 60/618;
6	<input type="checkbox"/>	<input type="checkbox"/>	US 5253159 A	19931012	63	Electrical distribution system having controlle	700/22	340/825.2 ;
7	<input type="checkbox"/>	<input type="checkbox"/>	US 5249115 A	19930928	65	Switch input termination array	700/12	
8	<input type="checkbox"/>	<input type="checkbox"/>	US 5233511 A	19930803	63	Panelboard arrangement with improved control	700/17	361/622; 361/643;
9	<input type="checkbox"/>	<input type="checkbox"/>	US 5231565 A	19930727	61	Electrical distribution system having mappable	700/22	307/132E; 700/286
10	<input type="checkbox"/>	<input type="checkbox"/>	US 4943996 A	19900724	35	Shared access to voice and information	379/93.23	379/201.0 ;
11	<input type="checkbox"/>	<input type="checkbox"/>	US 4597075	19860624	19	Modular switching	370/366	370/368